

# Index

## American Journal of Audiology: A Journal of Clinical Practice Index to Volume 6, 1997

Author Index	64
Subject Index	65
Title Index	66
Department Index	67

### Author Index

Abbott, J. H. *See* Taylor et al., March 1997, 5-10.  
 Abbott, S. E. *See* Penn & Abbott, March 1997, 11-16.  
 Agnew, J., Potts, L. G., & Valente, M. Sound quality judgments in Class A and Class D hearing aids. July 1997, 33-44.  
 Albright, K., & Finitzo, T. Texas hospitals' quality control approach to universal infant hearing detection. November 1997, Supplement, 88-90.  
 ASHA Panel on Audiology. ASHA Panel on Audiology. November 1997, 6-12.  
 Bauch, C. D. *See* Olsen et al., March 1997, 57-62.  
 Bentler, R. A., & Nelson, J. A. Assessing release-time options in a two-channel AGC hearing aid. March 1997, 43-51.  
 Biswas, G. *See* Tharpe & Biswas, March 1997, 31-42.  
 Clayton, E. W. *See* Tharpe & Clayton, July 1997, 5-12.  
 Davidson, S. A. *See* Noe et al., November 1997, 48-63.  
 Diefendorf, A. O. *See* Finitzo & Diefendorf, November 1997, Supplement, 91-94.  
 Diefendorf, A. O., & Finitzo, T. Foreword to the 1996 invited forum. November 1997, Supplement, 70.  
 Ergle, B. K. *See* Taylor et al., March 1997, 5-10.  
 Finitzo, T. *See* Albright & Finitzo, November 1997, Supplement, 88-90.  
 Finitzo, T. *See* Diefendorf & Finitzo, November 1997, Supplement, 70.  
 Finitzo, T., & Diefendorf, A. O. The state of the information. November 1997, Supplement, 91-94.  
 Fortune, T. W. Real ear compression ratios: The effects of venting and adaptive release time. July 1997, 55-63.  
 Frank, T. ANSI update: Specification for audiometers. November 1997, 29-32.

Hagness, D. E. Letter to the Editor. July 1997, 64.  
 Hurley, R. M., & Sells, J. P. Autoimmune inner ear disease (AIED): A tutorial. March 1997, 22-30.  
 Jacobson, G. P. *See* Newman et al., March 1997, 17-21.  
 Lindley, G. A. IV, & Palmer, C. V. Fitting wide dynamic range compression hearing aids: DSL [i/o], the IHAFF protocol, and FIG6. November 1997, 19-28.  
 Lopez, S. M., Martin, F. N., & Thibodeau, L. M. Performance of monolingual and bilingual speakers of English and Spanish on the Synthetic Sentence Identification Test. November 1997, 33-38.  
 Lucker, J. *See* Miller & Lucker, July 1997, 25-32.  
 Marlowe, J. A. The risk management perspective of the universal detection of hearing loss in newborns. November 1997, Supplement, 100-102.  
 Martin, F. N. *See* Lopez et al., November 1997, 33-38.  
 Miller, M., & Lucker, J. Auditory integration training. July 1997, 25-32.  
 Mineau, S. M., & Schlauch, R. S. Threshold measurement for patients with tinnitus: Pulsed or continuous tones. March 1997, 52-56.  
 Mishler, P. J. *See* Noe et al., November 1997, 48-63.  
 Nelson, J. A. *See* Bentler & Nelson, March 1997, 43-51.  
 Newman, C. W., Jacobson, G. P., Weinstein, B. E., & Sandridge, S. A. Computer-generated hearing disability/handicap profiles. March 1997, 17-21.  
 Noe, C. M., Davidson, S. A., & Mishler, P. J. The use of large group assistive listening devices with and without hearing aids in an adult classroom setting. November 1997, 48-63.  
 Norton, S. The researcher's perspective on newborn hearing screening. November 1997, Supplement, 103-104.

O'Neal, J. From description to definition: Avoiding a tower of Babel. November 1997, Supplement, 73.  
 Olsen, W. O. Historical vignette: Spondees for speech recognition thresholds. November 1997, 5.  
 Olsen, W. O., Pratt, T. L., & Bauch, C. D. Consistency in latency measurements and interpretation of ABR tracings. March 1997, 57-62.  
 Oyler, R. F., & St. Clair, M. E. Masking level differences with the Grason-Stadler GSI-10 audiometer. July 1997, 45-48.  
 Palm, D. *See* Zollweg et al., November 1997, 39-47.  
 Palmer, C. V. *See* Lindley & Palmer, November 1997, 19-28.  
 Penn, T. O., & Abbott, S. E. Public health and newborn hearing screening. March 1997, 11-16.  
 Potts, L. G. *See* Agnew et al., July 1997, 33-44.  
 Pratt, T. L. *See* Olsen et al., March 1997, 57-62.  
 Prieve, B. A., & the New York State Universal Newborn Hearing Screening Consortium. Establishing infant hearing programs in hospitals. November 1997, Supplement, 84-87.  
 Primus, M. A. *See* Skordas & Primus, November 1997, 13-18.  
 Purdy, S. C. *See* Searchfield & Purdy, July 1997, 49-54.  
 Rose, L. The Louisiana initiative. November 1997, Supplement, 78-83.  
 Sandridge, S. A. *See* Newman et al., March 1997, 17-21.  
 Schlauch, R. S. *See* Mineau & Schlauch, March 1997, 52-56.  
 Searchfield, G. D., & Purdy, S. C. Probe microphone placement for real ear measurement: Update on a simple acoustic method. July 1997, 49-54.  
 Sells, J. P. *See* Hurley & Sells, March 1997, 22-30.  
 Skordas, J. D., & Primus, M. A. Cerumen

# Index

## American Journal of Audiology: A Journal of Clinical Practice Index to Volume 6, 1997

Author Index	64
Subject Index	65
Title Index	66
Department Index	67

### Author Index

Abbott, J. H. *See* Taylor et al., March 1997, 5-10.

Abbott, S. E. *See* Penn & Abbott, March 1997, 11-16.

Agnew, J., Potts, L. G., & Valente, M. Sound quality judgments in Class A and Class D hearing aids. July 1997, 33-44.

Albright, K., & Finitzo, T. Texas hospitals' quality control approach to universal infant hearing detection. November 1997, Supplement, 88-90.

ASHA Panel on Audiology. ASHA Panel on Audiology. November 1997, 6-12.

Bauch, C. D. *See* Olsen et al., March 1997, 57-62.

Bentler, R. A., & Nelson, J. A. Assessing release-time options in a two-channel AGC hearing aid. March 1997, 43-51.

Biswas, G. *See* Tharpe & Biswas, March 1997, 31-42.

Clayton, E. W. *See* Tharpe & Clayton, July 1997, 5-12.

Davidson, S. A. *See* Noe et al., November 1997, 48-63.

Diefendorf, A. O. *See* Finitzo & Diefendorf, November 1997, Supplement, 91-94.

Diefendorf, A. O., & Finitzo, T. Foreword to the 1996 invited forum. November 1997, Supplement, 70.

Ergle, B. K. *See* Taylor et al., March 1997, 5-10.

Finitzo, T. *See* Albright & Finitzo, November 1997, Supplement, 88-90.

Finitzo, T. *See* Diefendorf & Finitzo, November 1997, Supplement, 70.

Finitzo, T., & Diefendorf, A. O. The state of the information. November 1997, Supplement, 91-94.

Fortune, T. W. Real ear compression ratios: The effects of venting and adaptive release time. July 1997, 55-63.

Frank, T. ANSI update: Specification for audiometers. November 1997, 29-32.

Hagness, D. E. Letter to the Editor. July 1997, 64.

Hurley, R. M., & Sells, J. P. Autoimmune inner ear disease (AIED): A tutorial. March 1997, 22-30.

Jacobson, G. P. *See* Newman et al., March 1997, 17-21.

Lindley, G. A. IV, & Palmer, C. V. Fitting wide dynamic range compression hearing aids: DSL [i/o], the IHAFF protocol, and FIG6. November 1997, 19-28.

Lopez, S. M., Martin, F. N., & Thibodeau, L. M. Performance of monolingual and bilingual speakers of English and Spanish on the Synthetic Sentence Identification Test. November 1997, 33-38.

Lucker, J. *See* Miller & Lucker, July 1997, 25-32.

Marlowe, J. A. The risk management perspective of the universal detection of hearing loss in newborns. November 1997, Supplement, 100-102.

Martin, F. N. *See* Lopez et al., November 1997, 33-38.

Miller, M., & Lucker, J. Auditory integration training. July 1997, 25-32.

Mineau, S. M., & Schlauch, R. S. Threshold measurement for patients with tinnitus: Pulsed or continuous tones. March 1997, 52-56.

Mishler, P. J. *See* Noe et al., November 1997, 48-63.

Nelson, J. A. *See* Bentler & Nelson, March 1997, 43-51.

Newman, C. W., Jacobson, G. P., Weinstein, B. E., & Sandridge, S. A. Computer-generated hearing disability/handicap profiles. March 1997, 17-21.

Noe, C. M., Davidson, S. A., & Mishler, P. J. The use of large group assistive listening devices with and without hearing aids in an adult classroom setting. November 1997, 48-63.

Norton, S. The researcher's perspective on newborn hearing screening. November 1997, Supplement, 103-104.

O'Neal, J. From description to definition: Avoiding a tower of Babel. November 1997, Supplement, 73.

Olsen, W. O. Historical vignette: Spondees for speech recognition thresholds. November 1997, 5.

Olsen, W. O., Pratt, T. L., & Bauch, C. D. Consistency in latency measurements and interpretation of ABR tracings. March 1997, 57-62.

Oyler, R. F., & St. Clair, M. E. Masking level differences with the Grason-Stadler GSI-10 audiometer. July 1997, 45-48.

Palm, D. *See* Zollweg et al., November 1997, 39-47.

Palmer, C. V. *See* Lindley & Palmer, November 1997, 19-28.

Penn, T. O., & Abbott, S. E. Public health and newborn hearing screening. March 1997, 11-16.

Potts, L. G. *See* Agnew et al., July 1997, 33-44.

Pratt, T. L. *See* Olsen et al., March 1997, 57-62.

Prieve, B. A., & the New York State Universal Newborn Hearing Screening Consortium. Establishing infant hearing programs in hospitals. November 1997, Supplement, 84-87.

Primus, M. A. *See* Skordas & Primus, November 1997, 13-18.

Purdy, S. C. *See* Searchfield & Purdy, July 1997, 49-54.

Rose, L. The Louisiana initiative. November 1997, Supplement, 78-83.

Sandridge, S. A. *See* Newman et al., March 1997, 17-21.

Schlauch, R. S. *See* Mineau & Schlauch, March 1997, 52-56.

Searchfield, G. D., & Purdy, S. C. Probe microphone placement for real ear measurement: Update on a simple acoustic method. July 1997, 49-54.

Sells, J. P. *See* Hurley & Sells, March 1997, 22-30.

Skordas, J. D., & Primus, M. A. Cerumen

- management in audiological practice. November 1997, 13-18.
- St. Clair, M. E. See Oyler & St. Clair, July 1997, 45-48.
- Taylor, C. L., Abbott, J. H., & Ergle, B. K. Audiologists as knowledgeable informants in the area of noise. March 1997, 5-10.
- Tharpe, A. M., & Biswas, G. Characterization of problem solving in audiology: Implications for training. March 1997, 31-42.
- Tharpe, A. M., & Clayton, E. W. Newborn hearing screening: Issues in legal liability and quality assurance. July 1997, 5-12.
- Thibodeau, L. M. See Lopez et al., November 1997, 33-38.
- Thomson, V. The Colorado newborn hearing screening project. November 1997, Supplement, 74-77.
- Valente, M. See Agnew et al., July 1997, 33-44.
- Vance, V. See Zollweg et al., November 1997, 39-47.
- Walden, B. E. Toward a model clinical-trials protocol for substantiating hearing aid user-benefit claims. July 1997, 13-24.
- Weinstein, B. E. See Newman et al., March 1997, 17-21.
- White, K. R. Realities, myths, and challenges of newborn hearing screening in the United States. November 1997, Supplement, 95-99.
- Zollweg, W., Palm, D., & Vance, V. The efficacy of auditory integration training: A double blind study. November 1997, 39-47.

## Subject Index

### Hearing

#### Nature of Hearing and its Disorders

##### Normal Auditory Systems

- Masking level differences with the Grason-Stadler GSI-10 audiometer. Oyler, R. F., & St. Clair, M. E. July 1997, 45-48.

##### Auditory and Other Otic Pathologies

- Autoimmune inner ear disease (AIED): A tutorial. Hurley, R. M., & Sells, J. P. March 1997, 22-30.
- Consistency in latency measurements and interpretation of ABR tracings. Olsen, W. O., Pratt, T. L., & Bauch, C. D. March 1997, 57-62.
- Threshold measurement for patients with tinnitus: Pulsed or continuous tones. Mineau, S. M., & Schlauch, R. S. March 1997, 52-56.

##### Hearing Loss and Deafness

- Autoimmune inner ear disease (AIED): A

- tutorial. Hurley, R. M., & Sells, J. P. March 1997, 22-30.
- The Colorado newborn hearing screening project. Thomson, V. November 1997, Supplement, 74-77.
- Computer-generated hearing disability/handicap profiles. Newman, C. W., Jacobson, G. P., Weinstein, B. E., & Sandridge, S. A. March 1997, 17-21.
- Foreword to the 1996 invited forum. Diefendorf, A. O., & Finitzo, T. November 1997, Supplement, 70.
- Realities, myths, and challenges of newborn hearing screening in the United States. White, K. R. November 1997, Supplement, 95-99.
- The researcher's perspective on newborn hearing screening. Norton, S. November 1997, Supplement, 103-104.
- Threshold measurement for patients with tinnitus: Pulsed or continuous tones. Mineau, S. M., & Schlauch, R. S. March 1997, 52-56.

### Effects of Noise and Issues in Hearing Conservation

- Sensorineural hearing loss and dyslipidemia. Campbell, K. C. M., Rybak, L. P., & Khardori, R. November 1996, 11-14.

### Assessment of Hearing

#### Psychoacoustics

- Masking level differences with the Grason-Stadler GSI-10 audiometer. Oyler, R. F., & St. Clair, M. E. July 1997, 45-48.

#### Acoustical Instruments, Measurements, and Standards

- ANSI update: Specification for audiometers. Frank, T. November 1997, 29-32.

#### Newborn Hearing Screening

- The Colorado newborn hearing screening project. Thomson, V. November 1997, Supplement, 74-77.
- Establishing infant hearing programs in hospitals. Prieve, B. A., & the New York State Universal Newborn Hearing Screening Consortium. November 1997, Supplement, 84-87.
- Foreword to the 1996 invited forum. Diefendorf, A. O., & Finitzo, T. November 1997, Supplement, 70.
- From description to definition: Avoiding a tower of Babel. O'Neal, J. November 1997, Supplement, 73.
- The Louisiana initiative. Rose, L. November 1997, Supplement, 78-83.
- Mission statement. The Joint Committee on Infant Hearing. November 1997, Supplement, 72.
- Newborn hearing screening: Issues in legal liability and quality assurance.

- Tharpe, A. M., & Clayton, E. W. July 1997, 5-12.
- Public health and newborn hearing screening. Penn, T. O., & Abbott, S. E. March 1997, 11-16.
- Realities, myths, and challenges of newborn hearing screening in the United States. White, K. R. November 1997, Supplement, 95-99.
- The researcher's perspective on newborn hearing screening. Norton, S. November 1997, Supplement, 103-104.
- The risk management perspective of the universal detection of hearing loss in newborns. Marlowe, J. A. November 1997, Supplement, 100-102.
- The state of the information. Finitzo, T., & Diefendorf, A. O. November 1997, Supplement, 91-94.
- Texas hospitals' quality control approach to universal infant hearing detection. Albright, K., & Finitzo, T. November 1997, Supplement, 88-90.

### Diagnostic Audiology—General

- Threshold measurement for patients with tinnitus: Pulsed or continuous tones. Mineau, S. M., & Schlauch, R. S. March 1997, 52-56.

### Specific Diagnostic Techniques and Approaches

- Consistency in latency measurements and interpretation of ABR tracings. Olsen, W. O., Pratt, T. L., & Bauch, C. D. March 1997, 57-62.
- Masking level differences with the Grason-Stadler GSI-10 audiometer. Oyler, R. F., & St. Clair, M. E. July 1997, 45-48.
- The researcher's perspective on newborn hearing screening. Norton, S. November 1997, Supplement, 103-104.

#### Behavioral

- Masking level differences with the Grason-Stadler GSI-10 audiometer. Oyler, R. F., & St. Clair, M. E. July 1997, 45-48.
- Threshold measurement for patients with tinnitus: Pulsed or continuous tones. Mineau, S. M., & Schlauch, R. S. March 1997, 52-56.

#### Electrophysiologic

- Consistency in latency measurements and interpretation of ABR tracings. Olsen, W. O., Pratt, T. L., & Bauch, C. D. March 1997, 57-62.
- The researcher's perspective on newborn hearing screening. Norton, S. November 1997, Supplement, 103-104.

#### Pediatric

- The researcher's perspective on newborn

hearing screening. Norton, S. November 1997, Supplement, 103-104.

## **Intervention**

**Habilitation, Rehabilitation, and Education**  
Computer-generated hearing disability/handicap profiles. Newman, C. W., Jacobson, G. P., Weinstein, B. E., & Sandridge, S. A. March 1997, 17-21.  
The efficacy of auditory integration training: A double blind study. Zollweg, W., Palm, D., & Vance, V. November 1997, 39-47.

## **Hearing Aids and Other Prostheses**

Assessing release-time options in a two-channel AGC hearing aid. Bentler, R. A., & Nelson, J. A. March 1997, 43-51.  
Fitting wide dynamic range compression hearing aids: DSL [i/o], the IHAFF protocol, and FIG6. Lindley, G. A. IV, & Palmer, C. V. November 1997, 19-28.  
Sound quality judgments in Class A and Class D hearing aids. Agnew, J., Potts, L. G., & Valente, M. July 1997, 33-44.  
Toward a model clinical-trials protocol for substantiating hearing aid user-benefit claims. Walden, B. E. July 1997, 13-24.  
The use of large group assistive listening devices with and without hearing aids in an adult classroom setting. Noe, C. M., Davidson, S. A., & Mishler, P. J. November 1997, 48-63.

## **Auditory Integration Training**

Auditory integration training. Miller, M., & Lucker, J. July 1997, 25-32.  
The efficacy of auditory integration training: A double blind study. Zollweg, W., Palm, D., & Vance, V. November 1997, 39-47.

## **Cerumen Management or Other Clinical Procedures**

Cerumen management in audiological practice. Skordas, J. D., & Primus, M. A. November 1997, 13-18.

## **Professional and General Scientific Issues**

### **Professional Affairs**

#### **Governmental and Professional Regulations**

The Louisiana initiative. Rose, L. November 1997, Supplement, 78-83.  
Public health and newborn hearing screening. Penn, T. O., & Abbott, S. E. March 1997, 11-16.

#### **Service Provision Models and Problems**

The Louisiana initiative. Rose, L. November 1997, Supplement, 78-83.

The risk management perspective of the universal detection of hearing loss in newborns. Marlowe, J. A. November 1997, Supplement, 100-102.

The state of the information. Finitzo, T., & Diefendorf, A. O. November 1997, Supplement, 91-94.

## **Professional Training**

### **Education and Continuing Education**

Characterization of problem solving in audiology: Implications for training. Tharpe, A. M., & Biswas, G. March 1997, 31-42.

## **Title Index**

ANSI update: Specification for audiometers. Frank, T. November 1997, 29-32.  
ASHA Panel on Audiology. November 1997, 6-12.  
Assessing release-time options in a two-channel AGC hearing aid. Bentler, R. A., & Nelson, J. A. March 1997, 43-51.  
Audiologists as knowledgeable informants in the area of noise. Taylor, C. L., Abbott, J. H., & Ergle, B. K. March 1997, 5-10.  
Auditory integration training. Miller, M., & Lucker, J. July 1997, 25-32.  
Autoimmune inner ear disease (AIED): A tutorial. Hurley, R. M., & Sells, J. P. March 1997, 22-30.  
Cerumen management in audiological practice. Skordas, J. D., & Primus, M. A. November 1997, 13-18.  
Characterization of problem solving in audiology: Implications for training. Tharpe, A. M., & Biswas, G. March 1997, 31-42.  
The Colorado newborn hearing screening project. Thomson, V. November 1997, Supplement, 74-77.  
Computer-generated hearing disability/handicap profiles. Newman, C. W., Jacobson, G. P., Weinstein, B. E., & Sandridge, S. A. March 1997, 17-21.  
Consistency in latency measurements and interpretation of ABR tracings. Olsen, W. O., Pratt, T. L., & Bauch, C. D. March 1997, 57-62.  
The efficacy of auditory integration training: A double blind study. Zollweg, W., Palm, D., & Vance, V. November 1997, 39-47.  
Establishing infant hearing programs in hospitals. Prieve, B. A., & the New York State Universal Newborn Hearing Screening Consortium. November 1997, Supplement, 84-87.  
Fitting wide dynamic range compression hearing aids: DSL [i/o], the IHAFF protocol, and FIG6. Lindley, G. A. IV, & Palmer, C. V. November 1997, 19-28.

Foreword to the 1996 invited forum.

Diefendorf, A. O., & Finitzo, T. November 1997, Supplement, 70.  
From description to definition: Avoiding a tower of Babel. O'Neal, J. November 1997, Supplement, 73.  
Historical vignette: Spondees for speech recognition thresholds. Olsen, W. O. November 1997, 5.  
Letter to the Editor. Hagness, D. E. July 1997, 64.  
The Louisiana initiative. Rose, L. November 1997, Supplement, 78-83.  
Masking level differences with the Grason-Stadler GSI-10 audiometer. Oyler, R. F., & St. Clair, M. E. July 1997, 45-48.  
Mission statement. The Joint Committee on Infant Hearing. November 1997, Supplement, 72.  
Newborn hearing screening: Issues in legal liability and quality assurance. Tharpe, A. M., & Clayton, E. W. July 1997, 5-12.  
Performance of monolingual and bilingual speakers of English and Spanish on the Synthetic Sentence Identification Test. Lopez, S. M., Martin, F. N., & Thibodeau, L. M. November 1997, 33-38.  
Probe microphone placement for real ear measurement: Update on a simple acoustic method. Searchfield, G. D., & Purdy, S. C. July 1997, 49-54.  
Public health and newborn hearing screening. Penn, T. O., & Abbott, S. E. March 1997, 11-16.  
Real ear compression ratios: The effects of venting and adaptive release time. Fortune, T. W. July 1997, 55-63.  
Realities, myths, and challenges of newborn hearing screening in the United States. White, K. R. November 1997, Supplement, 95-99.  
The researcher's perspective on newborn hearing screening. Norton, S. November 1997, Supplement, 103-104.  
The risk management perspective of the universal detection of hearing loss in newborns. Marlowe, J. A. November 1997, Supplement, 100-102.  
Sound quality judgments in Class A and Class D hearing aids. Agnew, J., Potts, L. G., & Valente, M. July 1997, 33-44.  
The state of the information. Finitzo, T., & Diefendorf, A. O. November 1997, Supplement, 91-94.  
Texas hospitals' quality control approach to universal infant hearing detection. Albright, K., & Finitzo, T. November 1997, Supplement, 88-90.  
Threshold measurement for patients with tinnitus: Pulsed or continuous tones. Mineau, S. M., & Schlauch, R. S. March 1997, 52-56.  
Toward a model clinical-trials protocol for



- substantiating hearing aid user-benefit claims. Walden, B. E. July 1997, 13-24.
- The use of large group assistive listening devices with and without hearing aids in an adult classroom setting. Noe, C. M., Davidson, S. A., & Mishler, P. J. November 1997, 48-63.

## Department Index

### Clinical Focus ■ Grand Rounds

- Audiologists as knowledgeable informants in the area of noise. Taylor, C. L., Abbott, J. H., & Ergle, B. K. March 1997, 5-10.
- Cerumen management in audiological practice. Skordas, J. D., & Primus, M. A. November 1997, 13-18.
- Computer-generated hearing disability/handicap profiles. Newman, C. W., Jacobson, G. P., Weinstein, B. E., & Sandridge, S. A. March 1997, 17-21.
- Fitting wide dynamic range compression hearing aids: DSL [i/o], the IHAFF protocol, and FIG6. Lindley, G. A. IV, & Palmer, C. V. November 1997, 19-28.
- Masking level differences with the Grason-Stadler GSI-10 audiometer. Oyler, R. F., & St. Clair, M. E. July 1997, 45-48.
- Public health and newborn hearing screening. Penn, T. O., & Abbott, S. E. March 1997, 11-16.
- Sound quality judgments in Class A and Class D hearing aids. Agnew, J., Potts, L. G., & Valente, M. July 1997, 33-44.

### Face-to-Face

- Auditory integration training. Miller, M., & Lucker, J. July 1997, 25-32.

### Letters to the Editor

- Hagness, D. E. July 1997, 64.

### Perspective

- ASHA Panel on Audiology. November 1997, 6-12.

- Historical vignette: Spondees for speech recognition thresholds. Olsen, W. O. November 1997, 5.

### Research and Technology ■ Articles

- Assessing release-time options in a two-channel AGC hearing aid. Bentler, R. A., & Nelson, J. A. March 1997, 43-51.
- Characterization of problem solving in audiology: Implications for training. Tharpe, A. M., & Biswas, G. March 1997, 31-42.
- Consistency in latency measurements and interpretation of ABR tracings. Olsen, W. O., Pratt, T. L., & Bauch, C. D. March 1997, 57-62.
- The efficacy of auditory integration training: A double blind study. Zollweg, W., Palm, D., & Vance, V. November 1997, 39-47.
- Probe microphone placement for real ear measurement: Update on a simple acoustic method. Searchfield, G. D., & Purdy, S. C. July 1997, 49-54.
- Real ear compression ratios: The effects of venting and adaptive release time. Fortune, T. W. July 1997, 55-63.
- Threshold measurement for patients with tinnitus: Pulsed or continuous tones. Mineau, S. M., & Schlauch, R. S. March 1997, 52-56.
- The use of large group assistive listening devices with and without hearing aids in an adult classroom setting. Noe, C. M., Davidson, S. A., & Mishler, P. J. November 1997, 48-63.

### Research and Technology ■ Short Course

- ANSI update: Specification for audiometers. Frank, T. November 1997, 29-32.
- Autoimmune inner ear disease (AIED): A tutorial. Hurley, R. M., & Sells, J. P. March 1997, 22-30.
- Performance of monolingual and bilingual speakers of English and Spanish on the Synthetic Sentence Identification Test. Lopez, S. M., Martin, F. N.,

- & Thibodeau, L. M. November 1997, 33-38.

### Supplement

- The Colorado newborn hearing screening project. Thomson, V. November 1997, Supplement, 74-77.
- Establishing infant hearing programs in hospitals. Prieve, B. A., & the New York State Universal Newborn Hearing Screening Consortium. November 1997, Supplement, 84-87.
- Foreword to the 1996 invited forum. Diefendorf, A. O., & Finitzo, T. November 1997, Supplement, 70.
- From description to definition: Avoiding a tower of Babel. O'Neal, J. November 1997, Supplement, 73.
- The Louisiana initiative. Rose, L. November 1997, Supplement, 78-83.
- Mission statement. The Joint Committee on Infant Hearing. November 1997, Supplement, 72.
- Realities, myths, and challenges of newborn hearing screening in the United States. White, K. R. November 1997, Supplement, 95-99.
- The researcher's perspective on newborn hearing screening. Norton, S. November 1997, Supplement, 103-104.
- The risk management perspective of the universal detection of hearing loss in newborns. Marlowe, J. A. November 1997, Supplement, 100-102.
- The state of the information. Finitzo, T., & Diefendorf, A. O. November 1997, Supplement, 91-94.
- Texas hospitals' quality control approach to universal infant hearing detection. Albright, K., & Finitzo, T. November 1997, Supplement, 88-90.

### Viewpoint

- Newborn hearing screening: Issues in legal liability and quality assurance. Tharpe, A. M., & Clayton, E. W. July 1997, 5-12.
- Toward a model clinical-trials protocol for substantiating hearing aid user-benefit claims. Walden, B. E. July 1997, 13-24.